

ROLF C. HAGEN INC., 20500 TRANSCANADA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Catnip Spray	
Catit Design Senses	
50753	

Section I. Product identification and uses		
Product name	Catnip Spray	
CAS#	Mix	
Use	Toy	
Supplier	Rolf C. Hagen Inc., 20 500 Trans Canada Hwy, Baie d'Urfé, H9X 0A2	
Emergency	Call your local Poison Control Centre	

Section II. Composition and information on ingredients					
Ingredients	Conc. (%)	CAS#	EINECS #	LD50	LC50
Ethyl alcohol	0.1-1.0%	64-17-5		Not applicable	142,500 ppm (4h) inhal-rat

Section III. Hazardous ingredients			
WHMIS	Classification	Transport of dangerous goods	
Not classified			

Section IV. Physical data	
Physical state and appearance/Odour	Clear colourless liquid / Mint
рН	5.0 – 5.6
Percent volatile	Less than 1%
Freezing point	Not available
Boiling point	100°C
Specific gravity	1.000-1.005
Vapour density	Not available
Odour threshold	Not available
Vapour pressure	Not available



ROLF C. HAGEN INC., 20500 TRANSCANADA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Catnip Spray	
<b>Catit Design Senses</b>	
50753	Page 2 of 4
	•

Evaporation rate	Not available
Solubility	Soluble

Section V. Fire or explosion risk			
Flammability conditions			
None			
Means of extinction	Means of extinction		
Water, carbon dioxide, dry chemic	Water, carbon dioxide, dry chemical, foam.		
Procedures in case of a fire			
No specific requirement			
Hazardous combustion materials			
Flash point	Flammability threshold		Temp auto-ignition
Not available	Minimal	Maximal	Not available

Section VI. Reactivity data		
Instability conditions	Stable under normal conditions	
Incompatible products	Not applicable	
Reactivity conditions	Not applicable	
Hazardous decomposition products	Not available	



ROLF C. HAGEN INC., 20500 TRANSCANADA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Catnip Spray
Catit Design Senses
50753

Page 3 of 4

Section VII. Toxicological properties			
Routes of entry			
Effects of acute	Dizziness, nausea. Irritation to skin and eyes.		
Eye	May cause irritation		
Skin	May cause irritation		
Inhalation	Inhalation of solvents may cause irritation.		
Ingestion	May cause headache, nausea, vomiting and weakness		
Effects of chronic overexposure			

Section VIII. First aid	
Eye contact	Flush immediately with plenty of water for at least 15 minutes and get medical attention.
Skin contact	Wash thoroughly with soap and water
Inhalation	Remove to fresh air
Ingestion	Do not induce vomiting, get medical attention.



ROLF C. HAGEN INC., 20500 TRANSCANADA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Catnip Spray	
Catit Design Senses	
50753	

Page 4 of 4

Section IX. Accidental release measures								
Person-related safety precautions	Remove all sources of ignition.							
Measures for environmental protection	Ventilate area. Prevent from entering a watercourse.							
Measures for cleaning/collecting	Use an inert absorbent material and non-sparking tools.							

### Section X. Handling and storage

Store in a cool, well ventilated area not to exceed 50°C.

Section XI. Exposure contr	ols and personal protection
Protective clothing	Safety glasses
Engineering controls	Ventilation – local (mechanical if used indoors on a continuous basis)

Section XII. Disposal considerations									
Product recommendation	Dispose regulation		in	accordance	with	local,	provincial	and	federal

#### Section XIII. Ecological information

Not available

#### Section XIV. Transportation information

Not classified

Prepared by Rolf C. Hagen Inc. Validated: October 30, 2010 (514) 457-0914