

ROLF C. HAGEN INC., 20500 TRANSCANDA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Nutrafin Test Kit	
Reagent for pH Low Range	
A7811	

Page 1 of 4	

Section I. Product and Company Identification		
Product name	Nutrafin pH Low Range Reagent 6.0-7.6	
CAS#	Mixture	
Use	To measure pH in aquarium water	
Supplier	Rolf C. Hagen Inc., 20 500 Trans Canada Hwy, Baie d'Urfé, H9X 0A2	
Emergency	Call your local poison control center	

Section II. Hazards Identification		
WHMIS	Classification	
Not Controlled	Not Applicable	

Section III. Composition and Information on Ingredients			
Ingredients	Conc. (%)	CAS#	EC#
Sodium Hydroxide	< 0.1	1310-73-2	215-185-5

Section IV. First Aid Measures		
Eye contact	Immediately flush with copious quantities of water. If victim wear contact lenses,	
	remove and continue rinsing for a minimum of 15 minutes holding lids apart to ensure	
	flushing of the entire surface. Seek immediate medical attention.	
Skin contact	May cause irritation. Remove the contaminated clothes and flush with plenty of water	
	and soap. In case of irritation seek medical attention.	
Inhalation	May cause irritation. Remove victim to fresh air. If symptom persists, obtain medical	
	attention.	
Ingestion	Have conscious person drink several glasses of water. Never administrated any liquids	
	to an unconscious or convulsing person. Do not induce vomiting. Seek immediate	
	medical attention.	

### **Section V. Fire Fighting Measures**

Suitable extinguishing media

Use extinguishing media appropriate to surrounding fire conditions.

Specific hazards arising from the chemical

Non-flammable product.

Special protective actions for fire-fighters

Wear adequate personal protection to prevent contact with material or it combustion products. Self-contained breathing apparatus.

Section VI. Accidental Release Measures		
Person-related safety precautions	Wear adequate personal protective equipment and clothing	



ROLF C. HAGEN INC., 20500 TRANSCANDA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Nutrafin Test Kit	
Reagent for pH Low Range	
A7811	

Page 2 of 4

	(e.g. chemical splash goggles, gloves, apron, rubber boots).
Measures for environmental protection	Not applicable
Measures for cleaning/collecting	Use an inert absorbent material such as clay, sand, earth or
	vermiculite. Sweep up and place in container for disposal.

### Section VII. Handling and Storage

Handle in accordance with good industrial hygiene and safety practices. Avoid contact with eyes, skin and clothing. After handling and before eating, drinking or smoking, wash hands and face thoroughly with soap and water. Prevent accidental contact with incompatible chemicals. Keep containers closed.

Section VIII. Exposure Controls and Personal Protection		
Protective clothing  Apply the appropriate protective measures for safe chemicals.  Rubber or plastic gloves. Chemical splash goggles of		
	Protective clothing, apron. Rubber boots.	
Engineering controls	General ventilation is recommended.	

Section IX. Physical and Chemical Properties	
Appearance (physical state, color, etc.) / Odor	Blue-green liquid, odorless
Odor threshold	Data not available
рН	7.4
Melting point / Freezing point	Data not available
Initial boiling point and boiling range	Data not available
Flash point	Not applicable
Evaporation rate	Data not available
Flammability (solid, gas)	Non-flammable
Upper / Lower flammability	Not applicable
Vapor pressure	Data not available
Vapor density	Data not available
Liquid density	Data not available
% Volatile	Data not available
Specific gravity	1 at 20 °C
Solubility	Soluble in water
Coefficient of Water/Oil distribution	Data not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Data not available
Viscosity	Data not available



ROLF C. HAGEN INC., 20500 TRANSCANDA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

Nutrafin Test Kit	
Reagent for pH Low Range	
A7811	

Page 3 of 4	
Page 3 01 4	

Section X. Stability and Reactivity	
Instability conditions	Stable under recommended storage conditions.
Conditions to avoid	Not applicable
Materials to avoid	Incompatible with strong oxidising agents, acids, alkalis.
Hazardous decomposition products	Not determined
Hazardous polymerization	No risk of dangerous polymerization

Section XI. Toxicological Information		
Route of exposure	Conclusion / Remarks	
Skin	Prolonged or repeated skin contact may cause irritation.	
SKIII	Sodium hydroxide LD <sub>50</sub> (rabbit - skin): 1,350 mg/kg	
Eye	Prolonged or repeated eye contact may cause irritation.	
Inhalation	None expected.	
Ingestion	Not available	
Mutagenicity	Not available	
Carcinogenicity	Not available	
Reproductive toxicity	Not available	
STOT-single exposure	Not available	
STOT-repeated exposure	Not available	
Aspiration hazard	Not available	
Acute toxicity	Irritant. Other information not available.	
Chronic Overexposure	None known	

Section XII. Ecological Information	n
Ecotoxicity	Not available
Mobility	Not available
Persistence and Degradability	Not available
Bioaccumulation potential	Not available

Section XIII. Disposal Consideration	ons
Disposal recommendations	Dispose of in accordance with federal, provincial and local regulations.
Disposal of damaged packaging	If the container contains residue of a hazardous product, follow all MSDS and label precautions even after container is emptied.
Regulatory disposal information	Data not available

Section XIV. Transport Inform	ation	
T.D.G. Classification	Not controlled	



ROLF C. HAGEN INC., 20500 TRANSCANDA HWY, BAIE D'URFÉ, QUEBEC, H9X 0A2 CANADA

**Nutrafin Test Kit** 

Reagent for pH Low Range

A7811

Page 4 of 4

### **Section XV. Regulatory Information**

**Exposure Limits** 

Sodium Hydroxide (CAS 1310-73-2) **ACGIH-TLV:** 2 mg/m³ (Ceiling); 9293

OSHA-PEL: 2 mg/m<sup>3</sup>

### **Section XVI. Other information**

While the company believes the data set forth herein are accurate as the date hereof, the company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration and verification.

Prepared by Rolf C. Hagen Inc.

(514) 457-0914

Validated: November 28<sup>th</sup>, 2014